


Adding a New Radar Model


Sometimes it is necessary to add a Radar Model within TraCS. This process requires a full version of the **Microsoft Access** program.

How to Add a New Radar Model


1. Navigate to the DBData directory on your TraCS Server and locate the Support.mdb file. (C:\Documents and Settings\All Users\Application Data\TraCS\DBData, or C:\ProgramData\TraCS\DBData)



2. Double-click the file to open it and click the **Open** button on the Security Warning dialog box.



3. Locate the table named **Model** in the list of tables and double-click to open.



4. Add a new row at the bottom of the table with your radar information. For type add 1 for radar, 3 for laser.

CodeValue	CodeText	Type	PrimeKey	Click to Add
				1
LTI - MARKSMA	LTI - MARKSMA	1		2
LTI - ULTRALYTE	LTI - ULTRALYTE	1		3
KUSTOM KR-10	KUSTOM KR-10	3		4
STALKER DUAL	STALKER DUAL	3		5
OTHR	OTHER (CLICK T 4			7
OTHR	OTHER (CLICK T 1			8
OTHR	OTHER (CLICK T 3			9
TRU-SPEED	TRU SPEED	1		10
New Model	New Model	1		11
*				(New)



5. Save and Close and you are all done.

6. Open TraCS and check your work, if you were successful take your new support table and copy and paste it in to the cars in the TraCS\DBData directory, and if you have any questions call Local TraCSSupport.

NOTE: Make sure to keep the number of characters for Code Value and Code Text under 50 characters.